

Carbo Zinc

Zinc containing liquid plant nutrient for foliar feeding to maintain or correct zinc levels.

GUARANTEED ANALYSIS:

Zinc (Zn) 10%

Derived from: Zinc Acetate

NOTE:

This product should be used as part of a complete fertilizer program. This fertilizer should be used only as recommended. Product may be harmful if misused.

Information regarding the contents and levels of metals in this product is available on the internet at:
<http://www.aapfco.org/metals.htm>

EMERGENCY TELEPHONE:

Chemtrec U.S.-Canada: 800-424-9300

Chemtrec International: 703-527-3887

☐ **2.5 gallons (9.46 ℓ)**
Net Weight: 26.50 lbs (12.01 kg)

☐ **2 X 2.5 gallons (2 x 9.46 ℓ)**
Net Wt. 53 lbs. (24.02 kg)

☐ **30 gallons (113.56 ℓ)**
Net Wt. 318 lbs (144.2 kg)

☐ **275 gallons (1040.99 ℓ)**
Net Wt. 2915 lbs (1322 kg)

Density 10.60 lbs/gal at 68°F

CONDITIONS OF SALE AND WARRANTY: HydroGro (Seller) warrants that this product conforms to the chemical description on the label. THIS WARRANTY IS EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES AND REPRESENTATIONS EXPRESSED, IMPLIED, OR STATUTORY, INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR USE. No one is authorized to make any other warranty, guarantee, or directions concerning this product, and no such warranties, guarantees or directions shall be valid or binding upon Seller. Timing, rate and method of application, weather and crop conditions, mixtures with chemicals not specifically recommended on this label or an accompanying written recommendation, are beyond the control of Seller. Buyer assumes all risks of use, storage and handling of this material not in strict accordance with directions given herewith. In no case shall Seller be liable for consequential, special, indirect, or incidental damages or losses resulting from the handling or use of this product. The foregoing is a condition of sale by Seller and is accepted as such by the buyer. Buyer further agrees in the event of damages arising from the use of this product to accept a replacement of the product or a refund of the purchase price of the product, at buyer's option, as full discharge of Seller's liability.



WARNING

HAZARD STATEMENTS:

Harmful if swallowed.
Causes serious eye irritation.

PRECAUTIONARY STATEMENTS

PREVENTION:

Avoid breathing dust/ fume/gas/mist/vapors/spray.
Wash skin thoroughly after handling.
Do not eat, drink, or smoke when using this product.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/
eye protection/ face protection.

RESPONSE:

IF SWALLOWED: Call a poison center or doctor/
physician if you feel unwell. Rinse mouth.
IF ON SKIN: wash with plenty of soap and water.
IF INHAILED: Move victim to fresh air and keep
at rest in a comfortable position for breathing.
IF IN EYES: Rinse cautiously with water for several
minutes. Remove contact lenses, if present an easy to
do. Continue rinsing.
If skin irritation occurs: Get medical advice /
attention Take off contaminated clothing.

DIRECTIONS FOR USE :

Shake well before use.

TANK MIXING:

Read ALL labels carefully and adhere strictly to the instructions for use and advice regarding whether or not product(s) should be co-applied. Many variables can influence the performance of co-applied products and therefore co-application is entirely at the risk of the end-user. It is strongly recommended that a limited application is made initially when using unfamiliar product mixes. Before co-application of products you, or your advisor, must do a jar test.

CAUTION:

READ THE LABEL BEFORE USING.
KEEP OUT OF REACH OF CHILDREN AND PETS.

STORAGE:

Store locked up

DISPOSAL:

Dispose of waste materials and container by following the waste disposal requirements of your country, state, or local authorities



DIRECTIONS FOR USE: USE ONLY AS DIRECTED

Do NOT apply **Carbo Zinc**:

- In combination with copper containing fungicides, phosphates or phosphonates
- Within 30 days after application of any copper fungicides
- In combination with highly alkaline material such as lime sulfur, Bordeaux mixture or certain boron products.

Carbo Zinc should preferably be applied in the early morning or late afternoon. Do not apply to plants that are undergoing a period of moisture or heat stress.

Carbo Zinc could lower the pH of the spray water, therefore the use of a buffer is recommended when using with other chemicals.

CROP	MAX RATE/APP	REMARKS
GRAPES	0.5 gal/acre	Apply first application at 4-6 inch shoot length, and repeat 2-3 times during the growing season. Apply in 50-100 gal water per acre.
DECIDUOUS FRUIT	1.0 gal/acre	Apply first application at second green-tip spray and repeat 2-3 times from 100% petal drop with 10-14 day intervals. Repeat after harvest. Apply in 100-300 gal water per acre or according to Tree Row Volume.
CEREALS Wheat, barley, oats	1 qt - 1.5 gal	Apply during the reproductive stage of the plants.
CANOLA AND SOYBEANS	1 qt - 1.5 gal	Apply during the reproductive stage of the plants.
STONE AND POME FRUIT Plums, peaches, olives, cherries, apricots	1 pt - 2 gal	Apply 2-3 applications after petal fall. Fruit color and size: Apply the first application 4 weeks prior to harvest and the second application 2 weeks later. Apply another 1-2 applications post-harvest.
SUBTROPICAL FRUIT Avocados, citrus, coffee	2 qts - 1.5 gal	Apply 1-2 applications between bud break and the onset of flowering (two-thirds of growth flush completed). Apply 1-2 applications after petal fall. Fruit color and size: Apply the first application 4 weeks prior to harvest and the second application 2 weeks later. Apply another 1-2 applications post-harvest.
NUTS Pecans, walnuts, almonds, cashews, pistachio, macadamias	1 pt - 2 gal	Apply the first application in the spring and then on all new growth later in the season or when deficiencies occur. 2-3 applications are recommended. Apply in 100-200 gallons of water per acre.
VEGETABLES	1 pt - 1 gal	Apply 2-3 weeks after germination and repeat 3-4 weeks later if necessary. Apply in 25-125 gallons of water per acre.

